General Index to Volume 145

ABED, A. M., on the supposed Precambrian palaeosuture along the Dead Sea Rift [reply to discussion], 515–7
Acadian tectonics, of Welsh Borderland Fault System, 920–22
accretionary complex, Alexander Island, Antarctic Peninsula, 333–4
—— structural evolution of, Shimanto Belt, SW Japan, 85–94
Aegean, SE, Mesozoic extensional history of S Tethyan continental margin in, 283–301
aeromagnetic data, from Ellsworth Mountains–Thiel Mountains, W Antarctica, 1009–17
Africa, NW, tectonics of Moroccan Rif, 56–8
AFTALION, M., *see* JAGGER, M. D.
AGDESTEIN, T., *see* BADLEY, M. E.
Ahlmannryggen Group, Proterozoic, Antarctica, 1020–22
Akramitis Limestone Formation, Mesozoic, of Rhodes, 292–4
Alexander Island, geology of, 985–6
ALLEN, P. M., *see* COOPER, D. C.
allivalites, of Eastern Layered Series, Rhum, 215–19
Alston and Askrigg Blocks, and Dent Fault System, geology of, 303–7
ammonium, in granites, South-West England, 37–41
ammonium in minerals, 39–40
Andaman ophiolite, India, chemistry of volcanic rocks in, maps 393–4; 395–400
ANDERTON, R., Dalradian slides and basin development: a radical interpretation of stratigraphy and structure in the SW and Central Highlands of Scotland, 669–78, figs
ANDERTON, R., *see* RICHARDS, P. C.
ANDREWS, J. R., BARKER, A. J., CHAPMAN, T. J., PAMPLIN, C. F. & SEAGO, R., on the Padstow Confrontation, north Cornwall: a reappraisal [discussion of: SELWOOD & THOMAS], 807
ANDREWS, J. R., BARKER, A. J. & PAMPLIN, C. F., a reappraisal of the facing confrontation in north Cornwall: fold- or thrust-dominated tectonics?, 777–88 figs
Angremaris Cherty Limestone, Mesozoic, of Rhodes, 291–2
Antarctic Peninsula, fore-arc basin in, 334–5
——, post-subduction alkaline volcanism along, 985–98
——, strike-slip faulting in tectonic evolution of, 333–7
Antarctica, emplacement of sills into wet sediments in Dronning Maud Land, 1019–32
——, W. aeromagnetic data from Ellworth Mountains–Thiel Mountains, 1009–17
——, ——, M Jurassic granites and break-up of Gondwanaland, 999–1007
$^{40}Ar/^{39}Ar$ mineral age, polyorogenic, in Kalak Nappe, Scandinavian Caledonides, 705–16
Arabian continental margin, evolution of, in Musandam mountains, and Dibba zone thrust tectonics, 43–53
Arabian–Nubian Shield, Precambrian evolution of, and Feiran basement, Sinai, discussed, 1033–5
arc, and fore-arc, late Cretaceous–early Tertiary, Halmahera, Indonesia, 65–84
——, and marginal basin, volcanism, tectonic controls, Ordovician, Wales, 759–75
arc and fore-arc history, Palaeogene-Recent, Halmahera, Indonesia, 587–90
Archaean, late, polymetamorphic history of Færingehavn–Tre Brødre area, W Greenland, 178
Archangelos Subgroup, Mesozoic of Rhodes and Alimnia, SE Aegean, 288–91
Arenig to Caradoc tectonism and volcanism, Snowdonia, 764–7
Argentina, new Ordovician-Silurian boundary section, San Juan Province, 749, map 750; 751–7
argon, radiogenic, excess of, at Moine Thrust, 8
ARRIBAS, A., *see* MANGAS, J.
Aruma Group, Cretaceous foredeep sediments, Oman, 837–8
Ashgill tectonics, of Welsh Borderland Fault System, 917–20
Ataviros Subgroup, Mesozoic of Rhodes, SE Aegean, 291–4
Atlantic Ocean, NE, Neogene bottom water and benthic foraminifera in, 125–32
AUDLEY-CHARLES, M. G., *see* HALL, R.
AUDLEY-CHARLES, M. G., *see* HALL, R.
Australia, S, carbonatitic diatreme from, 505–13

Bacan, Indonesia, *see* Halmahera
BADLEY, M. E., PRICE, J. D., RAMBECH, DAHL, C. & AGDESTEIN, T., the structural evolution of the northern Viking Graben and its bearing upon extensional modes of basin formation, 455–72, figs
BAILEY, D. K., on volcanic carbonatites of the Kaluwe complex, Zambia [discussion of: TURNER], 103–6, fig
BAKER, A. J., the stability of plagioclase and scapolite bearing assemblages in siliceous dolomites and some examples from the Ivrea Zone, Italy [*abs*], 179
BAKER, B. H., MITCHELL, J. G. & WILLIAMS, L. A. J., stratigraphy, geochronology and volcano-tectonic evolution of the Kedong-Naivasha-Kinangop region, Gregory Rift Valley, Kenya, 107–16, figs
Balder Formation, of Stord Basin, North Sea, 605
BANNER, F. T., *see* HALL, R.
BANNER, F. T., *see* HALL, R.
BARKER, A. J., reactions that influence the nature of chemical zoning profiles in garnets [*abs*], 179
BARKER, A. J., *see* ANDREWS, J. R.
BARKER, A. J., *see* ANDREWS, J. R.
BARKER, P. F., *see* KING, E. C.
basalts, post-subduction of Antarctic Peninsula, 985–7
basin, foreland, evolution of, and confrontation of structural styles, central SW England, 789–800
basin development and slides, Dalradian SW and C Highlands, Scotland, 669–78
basin evolution, Inner Moray Firth Basin, Scotland, 242–6
basin formation, at end of strike-slip fault, Cerdanya, E Pyrenees, 261–8
——, extensional, and structural evolution, Viking Graben, 455–72
——, models of, applied to Viking Graben, 468–70
basin model, for Silurian of Midland Valley of Scotland and Ireland, 741–8
basinal extension, interaction between faulting and sedimentation during, Dinantian, Solway, Scotland, 249–59
BASSETT, M. G., *see* HOLLAND, C. H.
BATEMAN, R. J., *see* BELL, T. H.
Bavaria, retrograded eclogites from Oberpfalz Forest of, 179
BÉDARD, J. H., SPARKS, R. S. J., RENNER, R., CHEADLE, M. J. & HALLWORTH, M. A., periodotite sills and metasomatic gabbros in the Eastern Layered Series of the Rhum complex, 207–24, figs
BEIN, A. & NIELSEN, H., sulphur diagenesis in freshwater lignites (Hula Basin, Israel): implications for S-C relationships in organic sediments, 133–6, figs
BELL, T. H., BATEMAN, R. J. & CUFF, C., dissolution, solution transfer, diffusion *vs* fluid flow, volume loss and change in bulk chemistry during deformation/metamorphism [*abs*] 178–9

Ben Klibreck-Crask, Sutherland, Scotland, structural setting of Lewisian inliers around, 25–31
BERING, D., *see* TORSVIK, T. H.
BEVINS, R. E. & ROBINSON, D., low grade metamorphism of the Welsh Basin Lower Palaeozoic succession: an example of diastathermal metamorphism? [Short Paper], 363–6, fig
BIDDLE, K. T. & RUDOLPH, K. W., early Tertiary structural inversion in the Stord Basin, Norwegian North Sea, 603–11, figs
biostratigraphical correlation, and stages of the Llandovery, 875–9
BIRPS profiles, deep structure, N England and Iapetus Suture zone from, 727–40
Blaen Onneu Quarry, Wales, early Carboniferous palaeosols in, 847–9
Borrowdale Volcanic Group, and Lake District batholith, age of, 368–9
——, Lake District, subaerial setting of, 887–90
——, Ordovician structures in, 369–72
BOTTRELL, S. H., SHEPHERD, T. J., YARDLEY, B. W. D. & DUBESSY, J., a fluid inclusion model for the genesis of the ores of the Dolgellau Gold Belt, North Wales, 139–45, figs
BOTTRELL, S. H. & SPIRO, B., a stable isotope study of black shale-hosted gold mineralization in the Dolgellau Gold Belt, North Wales, 941–9, figs
boundary section, new, Ordovician–Silurian San Juan Province, Argentina, 749–57
BRANNEY, M. J., the subaerial setting of the Ordovician Borrowdale Volcanic Group, English Lake District [Short Paper], 887–90, figs
BRANNEY, M. J. & SOPER, N. J., Ordovician volcano-tectonics in the English Lake District, 367–76, figs
Brent Delta, derived from Shetland Platform 883–5
Bristol Channel area, UK, Mesozoic reactivation of Variscan thrusting, 439–44
Bristol Channel Fault Zone, Mesozoic reactivation of, 441–4
Britain, N, geochronology of Late Caledonian magmatism in, 951–67
Brittany, S, metamorphic reactions from, 179
——, W, U Ordovician of, compared with Portugal, 390–1
brittle regime, dips in normal faults under, 865–6
BRODIE, K., metamorphic studies: research in progress [conference report], 177–9
BROOKS, M., TRAYNER, P. M. & TRIMBLE, T. J., Mesozoic reactivation of Variscan thrusting in the Bristol Channel area, UK, 439–44, figs
BROWN, S., *see* RICHARDS, P. C.
Buchwa Quartzite, Zimbabwe, age dates on zircons from, 978–81
Bugintsav Basin, Cenozoic of, 475
Burghead Beds, Triassic, Moray Firth, 239–40
burial cementation, in Lincolnshire Limestone, 627–31
Butterton Dyke, magnetic mapping of, 181–4

Cabeço do Peão Formation, U Ordovician, C Portugal, 383–4
CABRERA, L., ROCA, E. & SANTANACH, P., basin formation at the end of a strike-slip fault: the Cerdanya Basin (eastern Pyrenees), 2–8, figs
Cabril Formation, U Odovician, C Portugal, 378–81
Cacemes Group, U Ordovician, C Portugal, 377–81
Cader Idris–Aran Volcanic Centre, Ordovician, Wales, 764–5
Caledonian, and related, geology of Scandinavia, 717–8
Caledonian flysch terrane, cryptic, Scotland, 685–703
Caledonian magmatism, geochronology of, N Britain, 951–67
Caledonian Orogeny, crustal growth during, 699–701
Caledonian rocks, S and C Scotland, geotectonic framework, 685–7
Caledonides, Norwegian, geotectonic significance of Leka Ophiolite of, 401–12
——, Scandinavia, polyorogenic $^{40}Ar/^{39}Ar$ mineral age in Kalak Nappe of, 705–16
——, Scottish, gold and silver-bearing subvolcanic centre, Lagalochan, Argyllshire, 225, maps 226–7; 228–34
Calopetri Conglomerate Formation, Mesozoic, of Rhodes, 294
Campiotissa Limestone Formation, Mesozoic, of Symi, SE Aegean, 286–7
carbon isotopes, Dolgellau Gold Belt, 944
carbonatites, volcanic, of Kaluwe complex, Zambia, 95–106
carbonatitic diatreme, from Umberatana, S Australia, 505–13
Carboniferous, S Wales, mixing-zone dolomites in Gully Oolite of, 891–9
Carboniferous floodplain deposits, S Wales, and controls on palaeosol development, 847–57
CARNEY, J., *see* TRELOAR, P. J.
Carregueira Formation, U Ordovician, C Portugal, 381
Carsphairn Intrusion, Southern Uplands Scotland, crystal fractionation, hybridization in evolution of, 11–21
CARSWELL, D. A., garnet lherzolite thermobarometry: the demise of inflected upper mantle palaeogeotherms [*abs*] 178
Casa Carvalhal Formation, U Ordovician, C Portugal, 387–8
Cashel-Lough Wheelaun metagabbro, Connemara, U-Pb zircon ages, 647
Caterina Breccia Formation, Mesozoic, of Symi, SE Aegean, 287
cementation, of Lincolnshire Limestone, 622–31
cements, late spar of Lincolnshire Limestone, Jurassic, origin of, 621–33
CHADWICK, R. A. & SMITH, N. J. P., evidence of negative structural inversion beneath central England from new seismic reflection data [Short Paper], 519–22, figs
CHAMBERLAIN, M. I., *see* KNIPE, R. J.
CHAPMAN, T. J., *see* ANDREWS, J. R.
CHAPMAN, T. J., *see* SEAGO, R. D.
CHEADLE, M. J., *see* BÉDARD, J. H.
China, Taolin Zn-Pb-fluorite deposit of, and fluid inclusion research problems, 163–74
Church Stretton Lineament, at Old Radnor, Wales, strike-slip faulting along, 925–33
CINGOLANI, C., *see* CUERDA, A. J.
clay mineralogy, of early Carboniferous palaeosols, S Wales, 850–3
CLEMMEY, H., *see* ORD, D. M.
Clogau Formation, hosting gold mineralization, 941–9
Clogau-St Davids Gold Mine, stable isotope studies, 941–9
coal measures, British, dips of normal faults in, 859–73
——, Late Carboniferous–Permian, Gondwana, trace fossils in, 344–5
——, Silesian, of Euramerica, trace fossils in, 339–44
coal sequences, trace fossils in, 339–50
coal-bearing sequences, Mesozoic, trace fossils in, 345–7
——, Tertiary, Wyoming, depositional models for, 613–20
coalfield faults, Pennines 859–63
COMPSTON, W., *see* DODSON, M. H.
Compton Slate Formation, Devonian, SW England, 792
conglomerates, in Irish Silurian, clast provenance, 744
Connemara, cooling history from K-Ar, Rb-Sr ages, 649–60
——, SW, stable isotope study of fluids associated with retrogression, 179
——, W Ireland, U-Pb zircon ages of rocks intruded into Dalradian, 645–8
continental margins, South Orkney microcontinent, 322–7
continental rift sedimentation, models, applied to Moray Firth, 237–8
COOPER, A. H., *see* COOPER, D. C.
COOPER, D. C., LEE, M. K., FORTEY, N. J., COOPER, A. H., RUNDLE, C. C., WEBB, B. C. & ALLEN, P. M., The Crummock Water aureole: a zone of metasomatism and source of ore metals in the English Lake District, 523–40, figs
COPE, F. W. & EXLEY, C. S., on the magnetic mapping of the

Butterton Dyke: an example of detailed geophysical surveying [discussion of: SOWERBUTTS], 181–4
Cordilleran Orogen, W Nevada, implications for, from ophiolitic thrust nappes, 969–75
Corepi Limestone Formation, Mesozoic, of Rhodes, 295
Cornubian granites, ammonium in, 37–41
Cornubian pegmatities, ammonium in, 38
Cornwall, fractures, echelon, sigmoidal, three-dimensional morphology of arrays of, 185–7
——, N, facing confrontation reappraised, fold- or thrust-dominated?, 777–88
——, ——, Padstow Confrontation, a reappraisal, 801–7
crack-sealing mineral assemblages, in Lewisian, NW Scotland, 823–5
cracks, in Lewisian basement rocks, NW Scotland, 821
CRAW, D., *see* TURNBULL, I. M.
Cretaceous, late, and early Tertiary arc, fore-arc, Halmahera, Indonesia, 65–84
CROW, M. J., *see* TRELOAR, P. J.
Crummock Water aureole, metasomatism and ore source, Lake District, 523–40
crystal fractionation, and hybridization, in evolution of Carsphairn Intrusion, Scotland 11–21
Cu-Pb-Zn mineralization, with gold, Dolgellau, 941–3
CUERDA, A. J., RICKARDS, R. B. & CINGOLANI, C., a new Ordovician–Silurian boundary section in San Juan Province, Argentina, and its definitive graptolite fauna, 749–57, figs
CUFF, C., *see* BELL, T. H.
Cumberland Bay, and Sandebugten Formations, South Georgia, relationships between, 591–602
CURTIS, G. H., *see* DRAKE, R. E.

DALLMEYER, R. D., polyorogenic $^{40}Ar/^{39}Ar$ mineral age record within the Kalak Nappe Complex, Northern Scandinavian Caledonides, 705–16, figs
Dalradian, Connemara, geological synthesis of, 657–9
——, sedimentary and tectonic evolution of, 669–75
Dalradian metavolcanics, Ox Mountains and Mayo, geochemical correlation in, discussed, 1037–40
Dalradian rocks, ages of basic rocks, gneisses, intruded into, Connemara, W Ireland, 645–8
Dalradian slides and basin development, SW and C Highlands, Scotland, 669–78
DAMASKE, D., *see* GARRETT, S. W.
DASHZEVEG, D., Holarctic correlation of non-marine Palaeocene-Eocene boundary strata using mammals, 473–78, figs
Davidstow Anticline, Cornwall, 786
DAVIS, J. R., *see* WILSON, D.
Dead Sea Rift, supposed Precambrian palaeosuture along, 515–7
DEAN, J. M., *see* RICHARDS, P. C.
deltas, sites and traps for fossil fuels, 361–2
Dent Fault System, N England, as a major oblique-slip fault zone, 303, maps 304–5; 306–16
Dent Line, N England, 305–7
DERHAM, J. M. & FEELY, M., a K-feldspar breccia from the Mo-Cu stockwork deposit in the Galway Granite, west of Ireland, 661–7, figs
Devonian, of central SW England, 790–2
Devonian (Old Red Sandstone), SE Wales, stratigraphic framework of, 901–2
diagnesis, of sulphur, in freshwater lignites, Israel, 133–6
diapirs, evaporitic, W Greece, 269–82
diapirism, Plio-Quaternary, and Triassic evaporites, W Greece, 269–82
diatreme, carbonatitic, S Australia, 505–13
Dibba zone, Arabian continental margin, thrust tectonics of, 43, maps 44–46; 47–53
DICKSON, J. A. D., *see* EMERY, D.
DILEK, Y., MOORES, E. M. & ERSKINE, M. C., ophiolitic thrust nappes in western Nevada: implications for the Cordilleran Orogen, 969–75, figs
Dinantian extension, of Solway basin, Scotland, interaction between faulting and sedimentation during, 249–59
Dinantian facies, Vale of Glamorgan, 902–3
DINDI, E. W. & SWAIN, C. J., joint three-dimensional inversion of gravity and magnetic data from Jombo Hill alkaline complex, Kenya, 493–504, figs
Distinkhorn Granite, isotopic age data, 959
Dodaga Breccia Formation (Campanian–Eocene?), of Halmahera, Indonesia, 71–4
DODSON, M. H., COMPSTON, W., WILLIAMS, I. S. & WILSON, J. F., a search for ancient detrital zircons in Zimbabwean sediments, 977–83, figs
Dolgellau Gold Belt, N Wales, fluid inclusions and ore genesis, 139–45
——, ——, stable isotopes and gold mineralization in black shales, 941–9
dolomites, mixing zone, in Gully Oolite, L Carboniferous, S Wales, 891–9
dolomitization, in Gully Oolite, S Wales, 896–8
Dolyhir Quarry, Old Radnor, geology of, 928–30
DONATO, J. A., possible Variscan thrusting beneath the Somerton Anticline, Somerset, 431–8, figs
DONNELLY, R., *see* UNDERHILL, J. R.
DRAKE, R. E., VAN COUVERING, J. A., PICKFORD, M. H., CURTIS, G. H. & HARRIS, J. A., new chronology for the Early Miocene mammalian faunas of Kisingiri, Western Kenya, 479–91, figs
Dronning Maud Land, Antarctica, sill emplacement into wet sediment in, 1019–32
DUBESSY, J., *see* BOTTRELL, S. H.

EARDLEY, H., *see* FROSTICK, L.
Eastern Layered Series, Rhum, peridotite sills and metasomatic gabbros in, 207–24
eclogites, retrograded, of Oberpfalz Forest, Bavaria, 179
Elaphokampos Cherty Limestone Formation, Mesozoic, of Rhodes, 294–5
ELIAS, E. M., MACINTYRE, R. M. & LEAKE, B. E., the cooling history of Connemara, western Ireland, from K-Ar and Rb-Sr age studies, 649–60, figs
Ellsworth Mountains, and Thiel Mountains, W Antarctica, aeromagnetic data from, 1009–17
Ellsworth–Whitmore Mountains, geology of, 999–1001
Elphinstone Group, U Triassic–L Jurassic, Oman, 835
EMERY, D., HUDSON, J. D., MARSHALL, J. D. & DICKSON, J. A. D., the origin of late spar cements in the Lincolnshire Limestone, Jurassic of central England, 621–33, figs
England, C, origin of late spar cements in Lincolnshire Limestone of, 621–33
——, ——, seismic reflection data for negative structural inversion beneath, 519–22
——, E, Jurassic of, 621–2
——, Lake District, Borrowdale Volcanic Group, Ordovician, subaerial setting of, 887–90
——, ——, metasomatism and ore source, Crummock Water aureole, 523–40
——, ——, Ordovician volcano-tectonics of, 367, map 368; 369–76
——, Midlands, oncoids as environmental indicators, in Much Wenlock Limestone, 117–24
——, N, Dent Fault System as major oblique-slip fault zone, 303–16
——, ——, and Iapetus Suture zone, deep structure of, from BIRPS profiles, 727–40
——, ——, regional tectonics in Carboniferous, Permian, 310–14

——, S, magnetostratigraphy of Vectis Formation, L Cretaceous, Isle of Wight, 351–60
——, South-west, distribution of ammonium in granites of, 37–41
——, SW, confrontation of structural styles and evolution of foreland basin, 789–800
——, ——, models of convective fluid flow and mineralization in, 809–17
ERSKINE, M. C., *see* DILEK, Y.
evaporites, Triassic, and Plio-Quaternary diapirism, W Greece, 269–82
EXLEY, C. S., *see* COPE, F. W.
extension, of S Tethyan continental margin, Mesozoic, SE Aegean, 283–301

facing confrontation, N Cornwall, reappraisal, fold- or thrust-dominated tectonics, 777–88
——, Padstow, N Cornwall, a reappraisal, 801–7
——, of structural styles, and evolution of foreland basin, central SW England, 789–800
FALLICK, A. E., *see* JENKIN, G. R. T.
Fannich area, NW Scotland, K-Ar age data from, and Moine Thrust, 6–8
fault dip, mechanical controls on, 866–9
faulting, and sedimentation, interaction between, during Dinantian extension of Solway basin, Scotland, 249–59
faults, normal, dips of, in British Coal Measures, 859–73
FEELY, M., *see* DERHAM, J. M.
Feiran-basement rocks, Sinai, and Precambrian crustal evolution of Arabian–Nubian Shield, discussed, 1033–5
Felix coal sequence, Wyoming, 617–18
fenitization, within carbonatitic diatreme, S Australia, 510–11
Ferradosa Formation, U Ordovician, C Portugal, 385
Flinders Ranges, S Australia, carbonatitic diatreme in, 510–11
floodplain deposits, early Carboniferous, S Wales, and palaeosol development, 847–57
FLUGE, P. R., *see* TORSVIK, T. H.
fluid circulation, record of, in sealed cracks, Lewisian, NW Scotland, 819–30
fluid flow, convective, and mineralization models, SW England, 809–17
——, in Cornubian Batholith, 810
fluid inclusion history, Scamander Mineral Field, Tasmania, 138
fluid inclusion studies, 137–8
fluid inclusion studies [thematic set] and:
  a fluid inclusion model for ore genesis, Dolgellau Gold Belt, North Wales, 139–45
  fluid inclusions related to uranium deposits: a review, 157–62
  hydrothermal fluid evolution, of Sn-W mineralization, Spain, 147–55
  introduction, fluid inclusion studies, 137–8
fluid inclusion volatiles, in mineral exploration, 138
fluid inclusions, argon in, from tin–tungsten deposits, 138
——, Dolgellau Gold Belt, 942–3
——, and ore genesis, Dolgellau Gold Belt, N Wales, 139–45
——, Parilla orebody, Spain, 148–51
——, related to uranium deposits, 157–62
——, Zn-Pb-fluorite deposit, Taolin, China, 163–74
fluids, associated with retrogression, SW Connemara, stable isotope study 179
——, ore-forming, ore component solubilities in, Panasqueira, W-Cu-Sn deposit, Portugal, 138
flysch sequence, Oligo-Miocene Zoumi Sandstone, Morocco, 55–63
flysch terrane, cryptic, Caledonian of Scotland, 685–703
Fonte da Horta Formation, U Ordovician, C Portugal, 377–8
foraminifera, benthic and Neogene bottom water, NE Atlantic, 125–32
FORTEY, N. J., *see* COOPER, D. C.
FOSTER, R. P., fluid inclusion studies [introduction to thematic set], 137–8
FOSTER, R. P., Mineral Deposits Studies Group annual meeting, 1986 [conference report], 175–6
Foz da Sertã Formation, U Ordovician, C Portugal, 388
fractures, echelon, sigmoidal, Cornwall, three-dimensional morphology of arrays of, 185–7
FREEMAN, B., KLEMPERER, S. L. & HOBBS, R. W., the deep structure of northern England and the Iapetus Suture zone from BIRPS deep seismic reflection profiles, 727–40, figs
FREY, M., SAUNDERS, J. & SCHWANDER, H., the mineralogy and metamorphic geology of low-grade metasediments, Northern Range, Trinidad, 653–75, figs
FRIEND, C. R. L., NUTMAN, A. P. & MCGREGOR, V. R., polymetamorphic late-Archaean history of the F ringehavn-Tre Brødre area, southern West Greenland (*abs*), 178
FROSTICK, L., REID, I., JARVIS, J. & EARDLEY, H., Triassic sediments of the Inner Moray Firth, Scotland: early rift deposits, 235–48, figs
fuels, fossil, sites and traps for, in deltas, 361–2
FURNES, H., PEDERSEN, R. B. & STILLMAN, C. J., the Leka Ophiolite Complex, central Norwegian Caledonides: field characteristics and geotectonic significance, 401–12, figs

gabbros, of Eastern Layered Series, Rhum, 211–13
Galway Granite, Ireland, K-feldspar breccia from Mo-Cu stockwork in, 611,
  maps 662–3; 664–7
garnet lherzolite, thermobarometry and upper mantle palaeogeotherms, 178
garnets, reactions influencing chemical zoning profiles in, 179
GARRETT, S. W., MASLANYJ, M. P. & DAMASKE, D., interpretation of aeromagnetic data from the Ellsworth Mountains–Thiel Mountains ridge, West Antarctica, 1009–17, figs
Gau Limestone Formation (Late Jurassic?–Middle Eocene?), of Halmahera, Indonesia, 69–71
GAYER, R. A. & TOWNSEND, C., the Caledonian and related geology of Scandinavia [conference report], 717–8
GAYER, R. A., *see* UNDERHILL, J. R.
Geledongan Limestone Formation (Early and Middle Eocene), of Halmahera, Indonesia, 74
geochemical correlation, in Dalradian metavolanics, Ox Mountains and Mayo, discussed, 1037–40
geochemistry, analytical, of Dolgellau Gold Belt, 943–6
——, of Carsphairn intrusion, SW Scotland, 13–17
——, of clasts in Old Red Sandstone, NE Midland Valley, Scotland, 690–3
——, of Cumberland Bay Formation and Sandebugten Formation, South Georgia, 595–6
——, of granitoids, NE Sudan, 638–40
——, of Gully Oolite, S Wales, 892–4
——, Jurassic granites, W Antarctica, 1002–3
——, of Leka Ophiolite Complex, Norway 409–11
——, of metasomatism in Crummock Water aureole, 527–9
——, of post-subduction basalts, Antarctic Peninsula, 987–92
——, of U Proterozoic granitoids, Red Sea Hills, Sudan, 635–43
——, of volcanic rocks from Andaman ophiolite, 395–7
geochemistry of carbonatitic diatreme, S Australia, 507–9
geochronology, of granitoids, NE Sudan, 637–8
——, and isotope geology, Jurassic granites, W Antarctica 1001–2
——, of Late Caledonian magmatism, N Britain, 951–67
——, Miocene mammal faunas, W Kenya, 483–8
——, of Moine Thrust Zone, NW Scotland, 1–10
——, within Kalak Nappe Complex, N Norway, 707–14
geothermometry, of Dolgellau Gold Belt, 948
——, geobarometry, of Dolgellau Gold Belt, 143
GIBBONS, W., *see* WOODCOCK, N. H.

GIZE, A. P. & RICHARDSON, C. K., secondary migration of petroleum: evidence from the Illinois Fluorite District [*abs*], 138
Glencoe, isotopic age-data, Caledonian magmatism, 956
Gokase River, Japan, *see* Shimanto Belt
gold, anomalous concentrations of, Lagalochan, W Scotland, 231–3
——, and silver-bearing subvolcanic centre, in Scottish Caledonides, Lagalochan, Argyllshire, 225–34
gold mineralization, in black shales, Dolgellau, N Wales, 941–9
Gondwanaland, break-up of, and M Jurassic granites of W Antarctica, 999–1007
——, reconstruction of W Antarctic portion of, 336
Gore Quarry, Old Radnor, geology of, 929–30
granites, ammonium in, SW England, 37–41
——, within-plate of M Jurassic, W Antarctica, and Gondwanaland break-up, 999–1007
granitoid plutonism, NE Sudan, 635–7
granitoids, U Proterozoic, Sudan, geology, geochemistry of, 635–43
granulite, Zimbabwe, *P–T–t* paths and reworking, uplift, 178
graptolites in Ordovician-Silurian boundary section, Argentina, 750–7
Gravel Caverns section, of Padstow Facing Confrontation, 802–5
gravity, and magnetic results, South Orkney microcontinent, 319–21
gravity data, Somerton Anticline, Somerset, 431–2
gravity and magnetic data, inverted, Jombo Hill alkaline complex, Kenya, 493–504
Greece, W, Triassic evaporites and Plio-Quaternary diapirism in, 269, maps 270–3; 274–82
Greenland, W, late Archaean polymetamorphic history of Færinghehavn–Tre Brødre area, 178
Gregory Rift Valley, Kenya, evolution of, 107–16
Grunehogna, and Kullen, sills, Antarctica, geology of, 1019–20
Gulf of Oman, late Cretaceous to Holocene subduction/accretion system, 832–3
Gully Oolite, L Carboniferous, S Wales, mixing-zone dolomites in, 891–9

HAILWOOD, E. A., *see* KERTH, M.
HALL, A., the distribution of ammonium in granites from South-West England, 37–41, figs
HALL, J., *see* HAY, S. J.
HALL, R., AUDLEY-CHARLES, M. G., BANNER, F. T., HIDAYAT, S. & TOBING, S. L., basement rocks of the Halmahera region, eastern Indonesia: a late-Cretaceous–early Tertiary arc and fore-arc, 65–84, figs
HALL, R., AUDLEY-CHARLES, M. G., BANNER, F. T., HIDAYAT, S. & TOBING, S. L., Late Palaeogene–Quaternary geology of Halmahera, Eastern Indonesia: initiation of a volcanic island arc, 577–90, figs
HALL, R., *see* HARBURY, N. A.
HALLWORTH, M. A., *see* BÉDARD, J. H.
Halmahera, Indonesia, basement rocks of, a late Cretaceous–early Tertiary arc and forearc, 65, maps 66–68; 69–84
——, ——, late Cenozoic volcanic arc initiation, 577, maps 578–9; 580–90
HARBURY, N. A. & HALL, R. Mesozoic extensional history of the southern Tethyan continental margin in the SE Aegean, 283–301, figs
Harlech Dome, N Wales, and geological setting of Dolgellau Gold Belt, 139–40
HARPER, D. A. T., *see* WILLIAMS, D. M.
HARRIS, J. A., *see* DRAKE, R. E.
HAUGHTON, P. D. W., a cryptic Caledonian flysch terrane in Scotland, 685–703, figs
Hawasina thrust sheets, Oman, and Dibba Zone thrust tectonics, 44–5
HAY, S. J., HALL, J., SIMMONS, G. & RUSSELL, M. J., sealed microcracks in the Lewisian of NW Scotland: a record of 2 billion years of fluid circulation, 819–30, fig
Haybi thrust sheets, Oman, and Dibba Zone thrust tectonics, 45–8
hazards, volcanic, mapping of, Soufriere Hills volcano, Montserrat, W Indies, 541–51
Hellenide thrust sheets, and evaporites, diapirs, W Greece, 269–82
HIDAYAT, S., *see* HALL, R.
HIDAYAT, S., *see* HALL, R.
Highlands, Scotland, Dalradian slides and basin development in, 669–78
HOBBS, R. W., *see* FREEMAN, B.
HOLDSWORTH, R. E., *see* STRACHAN, R. A.
HOLE, M. J., post-subduction alkaline volcanism along the Antarctic Peninsula, 985–98, figs
Holarctic correlation, using mammals, of Palaeocene–Eocene boundary strata, 473–8
HOLE, M. J., *see* STOREY, B. C.
HOLLAND, C. H. & BASSETT, M. G., on biostratigraphical correlation and the stages of the Llandovery [discussion of: TEMPLE], 881–2
Hopeman Sandstone, Triassic, Moray Firth, 238–9
Hornelen Old Red Sandstone, Norway, palaeomagnetism of, 413–30
HOWARD, K. W., *see* ROEDDER, E.
HUDSON, J. D., *see* EMERY, D.
Humboldt ophiolite, Nevada, 971–2
HUNTER, D. R., *see* KRYNAUW, J. R.
hybridization, and crystal fractionation in evolution of Carsphairn Intrusion, Scotland, 11–21
hydrothermal evolution of Sn-W mineralization, Parilla ore deposit, Spain, 147–55

Iapetus closure, timing of, 962–3
Iapetus Suture, on NEC deep seismic profile, 734–6
Iapetus Suture zone, and N England, deep structure from BIRPS seismic profiles, 727–40
India, Andaman ophiolite of, chemistry of volcanic rocks, 393–400
Indonesia, Halmahera, late Cretaceous–early Tertiary arc-and fore-arc in basement rocks of, 65–84
——, late Cenozoic volcanic arc initiation, Halmahera, 577–90
inversion, of Munster Basin, 938
Ireland, Connemara, cooling history, from K-Ar, Rb-Sr ages, 649–60
——, ——, U-Pb ages of rocks intruded into Dalradian, 645–8
——, Galway Granite, K-feldspar breccia from Mo-Cu stockwork in, 661–7
——, stable isotope study of fluids associated with retrogression, Connemara, 179
Irish Silurian, 741–2
Irish Variscides, developmental model for, 935–9
ISAACS, M. C., *see* WADGE, G.
Islay-Jura, W Scotland, Dalradian of, 670–2
Isle of Wight, magnetostratigraphy of Vectis Formation, Wealden, 351–60
isotopic age data, Caledonian magmatism, N Britain, 955–60
isotopic age dates, Buchwa Quartzite, Zimbabwe, 978–81
——, for cooling of Connemara schists, 652–54
isotopic studies, of late spar cements, Lincolnshire Limestone, 624–6
isotopic zones, in SE Aegean, 283–4
Israel, Hula Basin, sulphur diagenesis in freshwater lignites of, 133–6
Italy, N, Alpine evolution of Voltri Group of, history of subduction and obduction, 178
Ivrea Zone, Italy, stability of plagioclase, scapolite bearing assemblages in siliceous dolomites, 179

JAGGER, M. D., MAX, M. D., AFTALION, M. & LEAKE, B. E., U-Pb zircon ages of basic rocks and gneisses intruded into the

Dalradian rocks of Cashel, Connemara, western Ireland, 645–8, figs
Japan, SW, Shimanto Belt, accretionary complex of, 85–94
JARVIS, J., *see* FROSTICK, K.
Jawali Conglomerate Formation (?Oligocene–Early Miocene), Halmahera, Indonesia, 579–83
JENKIN, G. R. T., LEAKE, B. E. & FALLICK, A. E., a stable isotopic study of fluids associated with retrogression in SW Connemara, Ireland [*abs*], 179
JENYON, M. K., overburden deformation related to the pre-piercement development of salt structures in the North Sea, 445–54, figs
JOLLEY, E. J., *see* UNDERHILL, J. R.
Jombo Hill alkaline complex, Kenya, gravity and magnetic data inverted, 493–504
JONES, C. S. & LEAT, P. T., on trace element geochemical correlation in the reworked Proterozoic Dalradian metavolcanic suites of the western Ox Mountains and NW Mayo Inliers, Ireland [discussion of: WINCHESTER, MAX & LONG], 1037–40
JONES, K. A., metamorphic reactions from southern Brittany [*abs*], 179
Jurassic, C England, origin of late spar cements in Lincolnshire Limestone of, 621–33
——, of E England, 621–2
——, M, granites in W Antarctica and Gondwanaland break-up, 999–1007
——, ——, of North Sea, palaeogeographic reconstruction of, 883–6

K-Ar, and Rb-Sr ages and cooling history of Connemara, 649–60
K-Ar dates, for Miocene mammal faunas, W Kenya, 483–8
——, and volcano-stratigraphy, Kenya Rift Valley, 107–16
K-Ar mineral ages, mica grainsizes and movement, Moine Thrust Zone, NW Scotland, 1–10
K-feldspar breccia, in Mo-Cu stockwork, Galway Granite, 661–7
Kalak Nappe, Scandinavian Caledonides, polyorogenic $^{40}Ar/^{39}Ar$ mineral age in, 705–16
Kaluwe complex, Zambia, volcanic carbonatites of, 95–106
Karo Chert Formation, Mesozoic, of Symi, SE Aegean, 287
Kedong–Naivasha–Kinangop region, Kenya Rift, evolution of, 107–16
KELLEY, S., the relationship between K-Ar mineral ages, mica grainsizes and movement on the Moine Thrust Zone, NW Highlands, Scotland, 1–10, figs
KELLEY, S., TURNER, G. & SHEPHERD, T., multicomponent sources for argon in fluid inclusions from tin–tungsten deposits [*abs*], 138
Kenya, Gregory Rift, evolution of Kedong–Naivasha–Kinangop region of, 107, maps 108; 109–16
——, SW, geology of, 493–4
——, three-dimensional inversion of gravity and magnetic data, Jombo Hill complex, 493, maps 494–5; 496–504
——, W, Early Miocene mammalian faunas, chronology for, 479, maps 480–1; 482–91
Kenya Rift Valley, evolution of, 107–16
KERTH, M. & HAILWOOD, E. A., magneto-stratigraphy of the Lower Cretaceous Vectis Formation (Wealden Group) on the Isle of Wight, Southern England, 351–60, figs
Kilmelford intrusive suite, W Scotland, geochemistry, 227
Kinangop tuffs, Kenya, 108–9
KING, E. C. & BARKER, P. F., the margins of the South Orkney microcontinent, 317–31, figs
Kisingiri, Kenya, Miocene mammalian faunas of, 479–91
KLEMENIC, P. M. & POOLE, S., the geology and geochemistry of Upper Proterozoic granitoids from the Red Sea Hills, Sudan, 635–43, figs
KLEMPERER, S. L., *see* FREEMAN, B.
Klibreck Formation, of Moine, N Scotland, 29–31
KNIPE, R. J., CHAMBERLAIN, M. I., PAGE, A. & NEEDHAM, D. T., structural histories in the SW Southern Uplands, Scotland, 679–84, figs
KOKELAAR, P., tectonic controls of Ordovician arc and marginal basin volcanism in Wales, 759–75, figs
Kokkimidi Group, Mesozoic, of Symi, SE Aegean, 286–8
Koumouli Formation, Mesozoic of Rhodes, 288
KRYNAUW, J. R., HUNTER, D. R. & WILSON, A. H., emplacement of sills into wet sediments at Grunehogna, western Dronning Maud Land, Antarctica, 1019–32, figs
Kyushu, SW Japan, accretionary complex in Shimanto Belt of, 85–94

La Chilca Formation, Argentina, Ordovician–Silurian boundary section in, 749–57
La Tet fault, Pyrenees, dextral slip along, and basin creation, 262–3
laharic deposits, in Borrowdale Volcanic Group, 888
Lake District, England, Ordovician volcano-tectonics of, 367–76
Late Carboniferous–Permian coal measures of Gondwana, trace fossils in, 344–5
LEAKE, B. E., *see* ELIAS, E. M.
LEAKE, B. E., *see* JAGGER, M. D.
LEAKE, B. E., *see* JENKIN, G. R. T.
leap-frog (breakback) thrusting, Dibba Zone, Oman, 50–1
LEAT, P. T., *see* JONES, C. S.
LEE, M. K., *see* COOPER, D. C.
LEEDER, M. R., *see* ORD,
Leka Ophiolite Complex, Norwegian Caledonides, geotectonic significance of, 401–12
Lesser Antilles, pyroclastic flow and surge deposits, emplacement, lateral correlation, 553–62
Lewisian, NW Scotland, sealed microcracks in, record of fluid circulation, 819–30
Lewisian inliers, Sutherland, Scotland, relationships with Moine cover, 23–36.
lignites, freshwater, sulphur diagenesis in, Israel, 133–6
LIL-element fractionation, and Antarctic basalts, 992–3
LILE-enrichment, of Antarctic basalts, 995–6
Limuru trachytes, Kenya, 110–12
Lincolnshire Limestone, Jurassic, C England, origin of late spar cements in, 621–33
liquefaction, and sediment fluidization, by North Solway Fault, Scotland, 251–4
Llandovery, biostratigraphical correlation and stages of, 875–9
Llanelly Formation, Gilwern Clay Member, palaeosols in, 847
Llanelly Quarry, Wales, early Carboniferous palaeosols in, 849–50
Llandovery, biostratigraphical correlation and stages discussed, 881–2
Llandovery stage boundaries, 877–9
Loch Awe, Glen Lyon, Schiehallion, W Scotland, Dalradian of, 674–5
Loch Coire Formation, of Moine, N Scotland, 31
Loch Etive—Lochaber, W Scotland, Dalradian of, 672–4
Loch Shin, Sutherland, Scotland, structural setting of Lewisian inliers around, 33
D. M. LONG, C. B., *see* WINCHESTER, J. A.
Lorne, isotopic age data, Caledonian magmatism, 956
Lossiemouth, Spynie and Findrassie Sandstone, Triassic, Moray Firth, 240
LOTTERMOSER, B. G., a carbonatitic diatreme from Umberatana, South Australia, 505–13, figs
Louredo Formation, U Ordovician, C Portugal, 381–3
Lower Palaeozoic Welsh Basin, tectonic setting, 363
Lower Quarried Limestone member, of Much Wenlock Limestone, sedimentology, 117–9

McGarvie, D. W., *see* Tindle, A. G.
McGregor, V. R., *see* Friend, C. R. L.
Macintyre, R. M., *see* Elias, E. M.
Mackenzie, J. S., *see* Needham, D. T.

Mace Head, W Ireland, Mo-Cu mineralization at, 661
Mace Head breccia, W Ireland, field relationships, origin, 661–6
magmatic evolution, of Carsphairn intrusion, SW Scotland, 17–20
magmatism, Late Caledonian, N Britain, geochronology of, 951–67
magnetic fabric, of Hornelen Old Red Sandstone, W Norway, 414–19
magnetic fabrics, palaeomagnetism and structure, Hornelen Old Red Sandstone, W Norway, 413–30
magnetic remanence, of Hornelen Old Red Sandstone, W Norway, 419–25
magnetostratigraphy, of Lower Cretaceous Vectis Formation, Isle of Wight, S England, 351–60
mammalian faunas, Early Miocene, Kenya, chronology for, 479–91
mammals, use of, in correlation of Palaeocene–Eocene boundary in Holarctic, 473–8
Mangas, J. & Arribas, A., hydrothermal fluid evolution of the Sn-W mineralization in the Parilla ore deposit (Caceres, Spain), 147–55, figs
mantle tectonite, in Leka Ophiolite Complex, Norway, 403–4
Manton, W. I., *see* Stern, R. J.
Marshall, J. D., *see* Emery, D.
Maslanyj, M. P., *see* Garrett, S. W.
Max, M. D., *see* Jagger, M. D.
Max, M. D., *see* Winchester, J. A.
Meadows, N. S., on the three-dimensional morphology of arrays of echelon and sigmoidal, mineral-filled fractures from north Cornwall [discussion of: Nicholson & Ejiofor], 185–7
Mesozoic, and Paleogene, of Halmahera, Indonesia, 69–74
Mesozoic coal-bearing sequences, trace fossils in, 345–7
Mesozoic extension, Tethyan continental margin, SE Aegean, 283–301
Messaro Limestone Formation, Mesozoic, of Rhodes, 295
Messovuno Limestone Formation, Mesozoic, of Rhodes, 290–1
metamorphic geology, of low-grade metasediments, Trinidad, 563–75
metamorphic reactions, from S Brittany, 179
metamorphic studies: research in progress, 177–9
metamorphism, of Cumberland Bay Formation and Sandebugten Formation, South Georgia, 597–8
——, diastathermal, in L Palaeozoic of Welsh Basin, 363–6
——, low grade, of Welsh Basin L Palaeozoic, 363–6
metamorphism/deformation, dissolution, solution transfer in, 178–9
metasediments, low-grade, geology, mineralogy of, Trinidad, 563–75
metasomatism, of Crummock Water aureole, English Lake District, 523–40
microcracks, sealed, in Lewisian, NW Scotland, record of fluid circulation, 819–30
microthermometry, of fluid inclusions, Taloin Zn-Pb-fluorite deposit, China, 166–8
——, in Parilla orebody, Spain, 150–1
——, on quartz, Dolgellau, N Wales, 140–1
Midland Valley, isotopic age data, Caledonian magmatism, 957–9
——, Scotland and Ireland, basin model for Silurian of, 741–8
Midland Valley block, Scotland, nature of, 700
Millar, I. L., *see* Storey, B. C.
Mindanao, and Halmahera, stratigraphically compared, 80–3
Mineral Deposits Studies Group, annual meeting, 1986, 175–6
mineralization, polymetallic, Au, Ag, Lagalochan, W Scotland, 231–3
Miocene mammalian faunas, Kenya, chronology for, 479–91
Mitchell, J. G., *see* Baker, B. H.
Mo-Cu stockwork, K-feldspar breccia in, Galway Granite, 661–7
Moine rocks, SE Sutherland, basement-cover relationships, structure within, 23, maps 24, 26–28; 29–36
Moine Thrust zone, NW Scotland, relationship between K-Ar mineral ages, mica grainsizes and movement on, 1, maps 2; 3–10
Mongolia, key sections and mammals, of U Palaeocene and L Eocene of, 473–5
Montserrat, W Indies, volcanic hazard mapping from 541–51
Moores, E. M., *see* Dilek, Y.
Moray, Firth, Inner, Scotland, Triassic sediments as early rift deposits, 235, map 236; 237–48
Morley, C. K., the tectonic evolution of the Zoumi Sandstone, western Moroccan Rif, 55–63, figs
Morocco, western Rif, tectonic evolution of Zoumi Sandstone of, 55–63
Much Wenlock Limestone Formation, English Midlands, oncoids as environmental indicators in, 117–24
Munster Basin, of Irish Variscides, 935–8
Murray, J. W., Neogene bottom water-masses and benthic foraminifera in the NE Atlantic Ocean, 125–32, figs
Musandam, Oman, stratigraphy of shelf carbonates in, 834–6
Musandam culmination, and Straits of Hormuz syntaxis, Oman, structure of, 831–45
Musandam Group, Jurassic-L Cretaceous, Oman, 835
Musandam mountains, Oman, thrust tectonics of Dibba zone and Arabian continental margin evolution, 43–53

N England, and Iapetus suture zone, geological development of, 736
Naran-Bulak Formation, Mongolia, biostratigraphic significance of members, 475–6
Naver Thrust, N Scotland, and Moine–Lewisian relationships, 25–31
NEC, deep seismic profile, 727–40
Needham, D. T. & Mackenzie, J. S., structural evolution of the Shimanto Belt accretionary complex in the area of the Gokase River, Kyushu, SW Japan, 85–94, figs
Needham, D. T., *see* Knipe, R. J.
Nell, P. A. R., *see* Storey, B. C.
Nemegt Basin, Mongolia, Cenozoic of, 473–4
Neogene, Lower, of Cerdanya Basin, Pyrenees, 264–6
Neogene bottom water, and benthic foraminifera, NE Atlantic, 125–32
Nevada, ophiolitic thrust nappes in, implications for Cordilleran Orogen, 969–75
Nicholson, R. & Ejiofor, I. B., on the three-dimensional morphology of arrays of echelon and sigmoidal mineral-filled fractures from North Cornwall [reply to discussion], 185–7, figs
Nielsen, H., *see* Bein, A.
Ninfa Limestone Formation, Mesozoic, of Rhodes, 288–90
normal faults, dips of, in brittle regime, 865–6
North East Coast, of N England, seismic reflection profile, 728–33
North Sea, Norwegian, structural inversion in Stord Basin of, 603–11
——, overburden deformation of salt structures, 445–54
——, palaeogeographic reconstruction for the M Jurassic of, 883–6
North Solway Fault, SW Scotland, interaction of faulting and sedimentation, 249–57
Northern Ireland, isotopic age data, Caledonian magmatism, 957
Norway, Caledonides of, geotectonic significance of Leka Ophiolite of, 401, map 402; 403–12
——, W, palaeomagnetism of Hornelen Old Red Sandstone, 413, maps 414–15; 16–30
Nutman, A. P., *see* Friend, C. R. L.

O'Brien, P. J., retrograded eclogites of the Oberpfalz Forest, NE Bavaria, West Germany [*abs*], 17

Old Radnor Inlier, Wales, strike-slip faulting along Church Stretton Lineament in, 925–33, maps 926–929
Old Red Sandstone, Lower, dispersal and provenance, NE Midland Valley, Scotland, 687–8
——, W Norway, palaeomagnetism of, 413–30
Oligo-Miocene flysch sequence, Zoumi Sandstone, Morocco, 55–63
Oman, and United Arab Emirates, evolution of Arabian continental margin in, 43–53
——, ——, structure of Musandam culmination and Straits of Homuz syntaxis in, 831–45, maps 834, 840
Oman Mountains, obduction tectonics, 831–2
ombrotrophic bog model, for origin of Tertiary coals, Wyoming, 618–9
Onat Marl Formation (mid–late Oligocene), Halmahera, Indonesia, 579
oncoids, as environmental indicators, in Much Wenlock Limestone, English Midlands, 117–24
ophiolite, Andaman, India, chemistry of volcanic rocks of, 393–400
——, Leka, Norway, geotectonic signficance of 401–12
ophiolitic thrust nappes, Nevada, implications for Cordilléran Orogen, 969–75
ORD, D. M., CLEMMEY, H. & LEEDER, M. R., interaction between faulting and sedimentation during Dinantian extension of the Solway basin, SW Scotland, 249–59, figs
Ordovician, Borrowdale Volcanic Group, subaerial setting, 887–90
——, upper, Portugal, lithostratigraphy of, 377–92
——, volcano-tectonics of, English Lake District, 367–76
Ordovician arc, and marginal basin volcanism, in Wales, tectonic controls of, 759–75
Ordovician plate tectonics, S Britain, 773
Ordovician-Silurian boundary, new section in San Juan Province, Argentina, and definitive graptolite fauna, 749–57
Ordovician tectonic evolution, Wales, 771–3
Ordovician tectonism, Snowdonia, 769–70
ore genesis, fluid inclusion model for, Dolgellau Gold Belt, N Wales, 139–45
——, in SW England, 809–10
Ox Mountains, and Mayo, Ireland, geochemical correlation in Dalradian metavolcanics discussed, 1037–40
oxygen isotopes, Dolgellau Gold Belt, 944–5

P–T–t paths, of granulite uplift, reworking, Zimbabwe, 178
Padstow Confrontation, N Cornwall, a reappraisal, 801–7
PAGE, A., *see* KNIPE, R. J.
PAGEL, M., *see* POTY, B.
Palaeocene-Eocene boundaries in Mongolia, W Europe and N America correlated, 476–7
Palaeocene-Eocene boundary, in Holarctic, correlation of, using mammals, 473–8
Palaeogene, and Quaternary volcanic arc initiation, Halmahera, Indonesia, 577–90
palaeogeographic reconstruction, for M Jurassic of North Sea, 883–6
palaeomagnetism, magnetic fabrics, and structural style, Hornelen Old Red Sandstone, W Norway, 413–30
palaeosol development, controls on, and early Carboniferous floodplain deposits, S Wales, 847–57
palaeosuture, supposed, Precambrian, along Dead Sea Rift, 515–7
Palaeozoic, Lower, diastathermal metamorphism in Welsh Basin succession of, 363–6
——, U, SE Wales, sedimentation, structural controls on, 901–14
PAMPLIN, C. F., *see* ANDREWS, J. R.
PAMPLIN, C. F., *see* ANDREWS, J. R.
PANKHURST, R. J., *see* STOREY, B. C.
Parilla ore deposit, Spain, hydrothermal fluid evolution of Sn-W mineralization in, 147–55
partial melting, and Antarctic basalts, 989–92
peat, ombrotrophic, as model for origin of Tertiary coals, Wyoming, 618–9
PEDERSEN, R. B., *see* FURNES, H.
peridotite sills, metasomatic gabbros, in Eastern Layered Series, Rhum, 207–24
peridotites, of Eastern Layered Series, Rhum, 209
petroleum, secondary migration of, Illinois Fluorite District, 138
PICKFORD, M. H., *see* DRAKE, R. E.
piggy-back thrusting, Dibba Zone, Oman, 49–50
Pirrit Hills granite, and Ferrar Supergroup, W Antarctica, 1004–5
plagioclase, and scapolite bearing, assemblages, stability of, Ivrea Zone, Italy, 179
plastic regime, dips in normal faults under, 870
Plio-Quaternary diapirism, Greece, 269–82
PLUMMER, G., *see* RUXTON, P. A.
Plymouth region, Devonian of, 794
POLLARD, J. E., trace fossils in coal-bearing sequences, 339–50, figs
POLYA, D. A., calculation of ore component solubilities in the main stage ore-forming fluids from the Panasqueira W-Cu-Sn deposit, Portugal, [*abs*], 138
Polzeath Thrust, Cornwall, and facing confrontation, 805
POOLE, S., *see* KLEMENIC, P. M.
porphyrite, Au- and Ag-bearing, Lagalochan, Scotland, 226–8
Porto de Santa Anna Formation, U Ordovician, C Portugal, 384–5
Portugal, C, upper Ordovician lithostratigraphy of, 377, maps 378–9; 380–92
——, U Ordovician of, compared with W Brittany, 390–1
POTY, B. & PAGEL, M., fluid inclusions related to uranium deposits: a review, 157–62
Powder River Basin, USA, depositional models, Tertiary coals, 613–20
Precambrian basement, Welsh Borderland, 915–7
Precambrian palaeosuture, supposed, along Dead Sea Rift, 515–7
PRICE, C. A. & TODD, S. P., a model for the development of the Irish Variscides, 935–9, figs
PRICE, J. D., *see* BADLEY, M. E.
Profitas Ilias Subgroup, of Rhodes, SE Aegean, 294–6
Proterozoic granitoids, Sudan, geochemistry of, 635–43
Pyrenees, Cerdanya Basin of, basin formation at end of strike-slip fault, 261, maps 262; 263–8
pyroclastic surge deposits, in Borrowdale Volcanic Group, 887
pyroclastics, emplacement mechanism, lateral correlation, St Kitts, Lesser Antilles, 553–62

radiocarbon chronology, of Soufriere Hills Volcano, Montserrat, 544
RAMBECH DAHL, C., *see* BADLEY, M. E.
RAMSAY, D. M., *see* TORSVIK, T. H.
RATCLIFFE, K. T., oncoids as environmental indicators in the Much Wenlock Limestone Formation of the English Midlands, 117–24, figs
RAY, K. K., SENGUPTA, S. & VAN DEN HUL, H. J., chemical characters of volcanic rocks from Andaman ophiolite, India, 393–400, figs
Rb-Sr, and Sm-Nd isotope geochemistry of clasts, Old Red Sandstone, NE Midland Valley, Scotland, 693–7
Rb-Sr dates, for Caledonian magmatism, N Britain, 951–4
Rb-Sr dating, of Crummock Water aureole, 529
REID, I., *see* FROSTICK, L.
RENNER, R., *see* BÉDARD, J. H.
Renney Rocks Formation, Devonian, SW England, 790–1
Rhobell Volcanic Complex, Ordovician, Wales, 761
Rhodes, Greece, structure of, 296–9
——, SE Aegean, pre-flysch geology of, and Mesozoic extension, 288–99
Rhum, peridotite sills and metasomatic gabbros, in Eastern Layered Series, 207–24

——, ultrabasic complex, geology of, 208–19
Ribeira do Braçal Formation, U Ordovician, C Portugal, 387
Ribeira Cimeira Formation, U Ordovician, C Portugal, 387
Ribeira da Laje Formation, U Ordovician, C Portugal, 385–6
RICHARDS, P. C., BROWN, S., DEAN, J. M. & ANDERTON, T., a new palaeogeographic reconstruction for the Middle Jurassic of the northern North Sea [Short Paper], 883–6, figs
RICHARDSON, C. K., *see* GIZE, A. P.
RICKARDS, R. B., *see* CUERDA, A. J.
Rif, western, Morocco, Zoumi Sandstone of, 55–63
rift, deposits, early, Triassic sediments as, Inner Moray Firth, Scotland, 235–48
rifting, in N Sea basins, 457
Rio Ceira Group, U Ordovician, C Portugal, 385–7
Ritscherflya Supergroup, Proterozoic, Antarctica, 1019
ROBERTS, B., on volcanic carbonatites of the Kaluwe complex, Zambia [discussion of: TURNER], 106
ROBINSON, D., *see* BEVINS, R. E.
ROBINSON, D., *see* WRIGHT, V. P.
ROCA, E., *see* CABRERA, L.
ROEDDER, E. & HOWARD, K. W., Taolin Zn-Pb-fluorite deposit, People's Republic of China: an example of some problems in fluid inclusion research on mineral deposits, 163–74, figs
RUDOLPH, K. W., *see* BIDDLE, K. T.
RUNDLE, C. C., *see* COOPER, D. C.
Rusey Fault Zone to Booby's Bay, Cornwall, structural interpretation, 779–85
RUSSELL, M. J., *see* HAY, S. J.
Ruus al Jibal Group, Permian and Triassic, Oman, 834
RUXTON, P. A. & PLUMMER, G., geology, metal zonation and fluid inclusion history of the Scamander Mineral Field, Northeast Tasmania: with particular reference to the Great Pyramid tin deposit [*abs*], 138

St Kitts, emplacement, lateral correlation, of pyroclastics, 553–62
salt structures, North Sea, overburden deformation and pre-piercement development of, 445–54
salt tectonics, Plio-Quaternary, W Greece, 277–80
Saltram Slate Formation, Devonian, SW England 792–3
SAMS, M. S. & THOMAS-BETTS, A., models of convective fluid flow and mineralization in south-west England, 809–17, figs
San Juan Province, Argentina, new Ordovician-Silurian boundary section, 749–57
Sandebugten, and Cumberland Bay Formations, South Georgia, relationships between, 591–602
Sanguinheira Group, U Ordovician, C Portugal, 381–4
SANTANACH, P., *see* CABRERA, L.
Saolat Marl Formation (Early Pliocene), Halmahera, Indonesia, 584
SAUNDERS, J., *see* FREY, M.
Scandinavia, Caledonian and related geology of, 717–8
——, N, Caledonides of, $^{40}Ar/^{39}Ar$ mineral age in Kalak Nappe, 705, maps 706–7; 708–16
SCHWANDER, H., *see* FREY, M.
Scotia Arc, and South Orkney microncontinent, tectonic fabric and reconstruction, 327–30
Scotland, basement-cover relationships, structure, within Moine rocks, Sutherland, 23–36
——, Caledonides of, gold and silver-bearing subvolcanic centre in, 225–34
——, cryptic Caledonian flysch terrane in, 685, maps 686–7; 688–703
——, evolution of Carsphairn Intrusion in Southern Uplands of, 11–21
——, Inner Moray Firth, Triassic early rift deposits of, 235–48
——, and Ireland, basin model for Silurian of, 741–8
——, NW, Moine Thrust Zone, K-Ar ages from, 1–10
——, ——, sealed microcracks in Lewisian of, record of fluid circulation 819–30
——, Solway Basin, interaction, faulting and sedimentation during Dinantian extension, 249, map 250; 251–9
——, SW and C Highlands, Dalradian slides and basin development radically interpreted, 669–78
——, SW Southern Uplands, structural histories in, 679–84
sea-level curves, for Irish Silurian, 742–4
SEAGO, R. D. & CHAPMAN, T. J., the confrontation of structural styles and the evolution of a foreland basin in central SW England, 789–800, figs
SEAGO, R., *see* ANDREWS, J. R.
SEARL, A., mixing-zone dolomites in the Gully Oolite, Lower Carboniferous, South Wales, 891–9, figs
SEARLE, M. P., structure of the Musandam culmination (Sultanate of Oman and United Arab Emirates) and the Straits of Hormuz syntaxis, 831–45, figs
SEARLE, M. P., thrust tectonics of the Dibba zone and the structural evolution of the Arabian continental margin along the Musandam mountains (Oman and United Arab Emirates), 43–53, figs
Seiland Igneous province, N Norway, geochronology, 710
seismic data, Somerton Anticline, Somerset, 432–5
seismic evidence, of Variscan thrusting, Bristol Channel, 439–41
seismic reflection data, evidence for negative structural inversion beneath C England, 519–22
seismic reflection profiles, BIRPS, deep structure N England, Iapetus Suture, from, 727–40
SELWOOD, E. B. & THOMAS, J. M., the Padstow Confrontation, north Cornwall: a reappraisal, 801–7, figs
SELWOOD, E. B. & THOMAS, J. M., on reappraisal of the facing confrontation in north Cornwall: fold- or thrust-dominated tectonics? [discussion of: ANDREWS, BARKER & PAMPLIN], 787–8
SENGUPTA, S., *see* RAY, K. K.
Severn Estuary Fault Zone, SE Wales, movements of, Carboniferous, 907–10
SHEPHERD, T., *see* KELLEY, S.
SHEPHERD, T. J., fluid inclusion volatiles in mineral exploration [*abs*], 138
SHEPHERD, T. J., *see* BOTTRELL, S. H.
Shetland, isotopic age data, Caledonian magmatism, 955–6
Shimanto Belt, SW Japan, structural evolution of accretionary complex in, 85, maps 86–87; 88–94
SHIMRON, A. E., on the age of the Feiran basement rocks, Sinai: implications for late Precambrian crustal evolution in the northern Arabian-Nubian Shield [discussion of: STERN & MANTON], 1033–5, fig
Silesian coal measures of Euramerica, trace fossils in, 339–44
Silicopi Limestone Formation, Mesozoic, of Symi, SE Aegean, 287
sills, emplacement into wet sediments, Dronning Maud Land, Antarctica, 1019–32
——, peridotite, and metasomatic gabbros, in Eastern Layered Series, Rhum, 207–24
Silurian, basin model for, Midland Valley of Scotland, Ireland, 741–8
Silurian basin configuration, Ireland, 744–6
Silurian graptolite biostratigraphy, 876–7
Silurian sea-level curves, and stratigraphic correlations, Ireland, 742–4
SIMMONS, G., *see* HAY, S. J.
Sinai, Feiran basement-rocks and Precambrian evolution of Arabian–Nubian Shield discussed, 1033–5
Skiddaw Group, Ordovician, Lake District, structural sequence in, 367–8
SMITH, M., *see* WILSON, D.
SMITH, N. J. P., *see* CHADWICK, R. A.

Sn-W mineralization, fluid evolution of, Parilla ore deposit, Spain, 147–55
Society awards for 1988, 725–6
Solway basin, SW Scotland, interaction between faulting and sedimentation during extension, 249–59
Somerset, gravity data in Somerton Anticline, 431–2
——, Variscan thrusting beneath Somerton Anticline of, 431–8
Somerton Anticline, Somerset, possible Variscan thrusting beneath, 431–8
SOPER, N. J., *see* BRANNEY, M. J.
Sørøy-Seiland Nappe, N Norway, geochronology, 713
Sourfriere Hills Volcano, W Indies, volcanic hazard mapping of, 541–51
South Georgia, Cumberland Bay and Sandebugten Formations, relationships between, 591–602
South Orkney microcontinent, margins of, 317–31
Southern Uplands, Scotland, evolution of Carsphairn Intrusion of, 11, map 12; 13–21
Southern Uplands Fault, on NEC deep seismic profile, 737
Southern Uplands, isotopic age data, 959–60
——, Scotland, structural histories in SW of, 679–84
sövites, of Kaluwe carbonatite, Zambia, 98
SOWERBUTTS, W. T. C., on the magnetic mapping of the Butterton Dyke: an example of detailed geophysical surveying [reply to discussion], 181–4, figs
Spain, evolution of Sn-W mineralization, Parilla ore deposit, Caceres, Spain, 147–55
SPARKS, R. S. J., *see* BÉDARD, J. H.
SPIRO, B., *see* BOTTRELL, S. H.
stable isotope data, Gully Oolite, S Wales, 894–6
stable isotopes, and gold mineralization in black shales, Dolgellau Gold Belt, N Wales, 941–9
STANTON, R. W., *see* WARWICK, P. D.
STANTON, R. W., *see* WARWICK, P. D.
STERN, R. J. & MANTON, W. I., on the age of the Feiran basement rocks, Sinai: implications for late Precambrian crustal evolution in the northern Arabian–Nubian Shield [reply to discussion], 1033–5, fig
STILLMAN, C. J., *see* FURNES, H.
STIMPSON, I. G., *see* UNDERHILL, J. R.
Stord Basin, North Sea, structural inversion in, 603–11
STOREY, B. C., HOLE, M. J., PANKHURST, R. J., MILLAR, I. L. & VENNUM, W., Middle Jurassic within-plate granites in West Antarctica and their bearing on the break-up of Gonwanaland, 997–1007, figs
STOREY, B. C. & NELL, P. A. R., role of strike-slip faulting in the tectonic evolution of the Antarctic Peninsula, 333–7, figs
Stotfield Cherty Rock, Triassic, Moray Firth, 240
STRACHAN, R. A. & HOLDSWORTH, R. E., basement-cover relationships and structure within the Moine rocks of central and southeast Sutherland, 23–36, figs
Straits of Hormuz syntaxis, and Musandam culmination, Oman, structure of, 831–45
STRATFORD, deep seismic reflection profile, C England, 519–22
Strath Carnaig-Dornoch Firth, Sutherland, Scotland, structural setting of Lewisian inliers around, 31–3
Strinds Formation, Old Radnor, 925–30
Strinds Quarry, Old Radnor, geology of, 927–9
structural domains, S Uplands, Scotland, recognition, delineation, evolution within, 679–81
structural inversion, early Tertiary, Stord Basin, Norwegian North Sea, 603–11
——, negative, C England, seismic reflection evidence for, 519–22
STURT, B. A., *see* TORSVIK, T. H.
Subaim Limestone Formation (Early Miocene–Early Pliocene), Halmahera, Indonesia, 583–4
subduction and obduction, history of, in Alpine evolution of Voltri Group, N Italy, 178
sulphur diagenesis, in freshwater lignites, Hula Basin, Israel, 133–6
sulphur isotopes, Dolgellau Gold Belt, 946
Sumeini duplexes, Oman, and Dibba Zone thrust tectonics, 44
surge deposits, and pyroclastic flows, emplacement, lateral correlation, Lesser Antilles, 553–62
Sutherland, SE, Scotland, basement–cover relationships, structure within Moine rocks, 23–36
SWAIN, C. J., *see* DINDI, E. W.
Symi, SE Aegean, pre-flysch geology of, and Mesozoic extension, 284–8

Tafongo Volcanic Formation (Late Pliocene–?mid-Pleistocene), Halmahera, Indonesia, 586
Talacasto, Argentina, Ordovician-Silurian boundary section at, 749–57
Taolin Zn-Pb-fluorite deposit, China, fluid inclusion research problems in, 163–74
Tapaya Volcanic Formation (Early–Late Pliocene), Halmahera, Indonesia, 585–6
Tasmania, fluid inclusion history, of Scamander Mineral Field, 138
TATE, M. P. & WILSON, M., emplacement mechanism and lateral correlation of pyroclastic flow and surge deposits in northern St Kitts, Lesser Antilles, 553–62, figs
Tethyan continental margin, Mesozoic extensional history of, SE Aegean, 283–301
TEMPLE, J. T., biostratigraphical correlation and the stages of the Llandovery, 875–9, figs
TEMPLE, J. T., on biostratigraphical correlation and the stages of the Llandovery [reply to discussion], 881–2
terrane, flysch, cryptic, Caledonian of Scotland, 685–703
terrane boundary, Welsh Borderland Fault System as?, 915–23
Tertiary coal-bearing sequences, Wyoming, depositional models for, 613–20
Tertiary structural inversion, Stord Basin, Norwegian North Sea, 603–11
thermal subsidence, in N Sea basins, 457–60
thermobarometry, of garnet lherzolite, and upper mantle palaeogeotherms, 178
THIRLWALL, M. F., geochronology of Late Caledonian magmatism in northern Britain, 951–67, figs
THOMAS, J. M., *see* SELWOOD, E. B.
THOMAS, J. M., *see* SELWOOD, E. B.
THOMAS-BETTS, A., *see* SAMS, M. S.
thrust tectonics, Dibba zone, Oman, 43–53
thrusting processes, types, Dibba Zone, Oman, 49–51
tin-tungsten deposits, argon in fluid inclusions from, 138
TINDLE, A. G., MCGARVIE, D. W. & WEBB, P. C., the role of hybridization and crystal fractionation in the evolution of the Cairnsmore of Carsphairn Intrusion, Southern Uplands of Scotland, 11–21, figs
Tinto Felsite, isotopic age data, 958–9
Tobago, metamorphic geology of low-grade metasediments from, 564
TOBING, S. L., *see* HALL, R.
TOBING, S. L., *see* HALL, R.
TODD, S. P., *see* PRICE, C. A.
TORSVIK, T. H., STURT, B. A., RAMSAY, D. M., BERING, D. & FLUGE, P. R., palaeomagnetism, magnetic fabrics and the structural style of the Hornelen Old Red Sandstone, Western Norway, 413–30, figs
Tourkogiali Limestone Formation, Mesozoic, of Symi, SE Aegean, 286
TOWNSEND, C., *see* GAYER, R. A.
trace element correlation, in Dalradian metavolcanics, Ox Mountains, Mayo, Ireland, discussed, 1037–40
trace fossils, in coal-bearing sequences, 339–50

transcurrent fault movements, of Welsh Borderland Fault System, 915–23
transtension, and transpression, in fore-arc basins, Antarctic Peninsula, 334–6
TRAYNER, P. M., *see* BROOKS, M.
TREBLE, P. J., Alpine evolution of the Voltri Group, Northern Italy: a history of subduction and obduction [*abs*], 178
Tredorn Nappe, Cornwall, 786
TRELOAR, P. J., CARNEY, J. & CROW, M. J., *P–T–t* paths of granulite reworking and uplift, NE Zimbabwe [*abs*], 178
Tremadoc tectonic and volcanic episodes, Wales, 760–4
Triassic evaporites, and Plio-Quaternary diapirism in W Greece, 269–82
Triassic sediments, early rift deposits of Inner Moray Firth, Scotland, 235–48
TRIMBLE, T. J., *see* BROOKS, M.
Trinidad, low-grade metasediments, mineralogy, metamorphic geology of, 563–75
troctolites, of Eastern Layered Series, Rhum, 209–11
TURNBULL, I. M. & CRAW, D., relationships between the Cumberland Bay and Sandebugten Formations, South Georgia, and some tectonic implications, 591–602, figs
TURNER, D. C., on volcanic carbonatites of the Kaluwe complex, Zambia [reply to discussion], 106
TURNER, D. C., volcanic carbonatites of the Kaluwe complex, Zambia, 95–106, figs
TURNER, G., *see* KELLEY, S.

U-Pb zircon ages, of basic rocks and gneisses, Cashel, Connemara, 645–8
UK, Bristol Channel, Mesozoic reactivation of Variscan thrusting in, 439–44
Ulan-Nur Basin, Mongolia, Cenozoic of, 474–5
ultramafics, layered, of Leka Ophiolite Complex, Norway, 405–6
UNDERHILL, J. R., Triassic evaporites and Plio-Quaternary diapirism in western Greece, 269–82, figs
UNDERHILL, J. R., GAYER, R. A., WOODCOCK, N. H., DONNELLY, R., JOLLEY, E. J. & STIMPSON, I. G., the Dent Fault System, northern England—reinterpreted as a major oblique-slip fault zone, 303–16, figs
USA, Wyoming, depositional models, for Tertiary coal sequences, 613–20
uranium deposits, fluid inclusions related to, 157–62

Vale of Glamorgan Axis, U Palaeozoic of, 902–7
Vale da Ursa Formation, U Ordovician, C Portugal, 388
VAN COUVERING, J. A., *see* DRAKE, R. E.
VAN DEN HUL, H. J., *see* RAY, K. K.
Variscan thrusting, beneath Somerton Anticline, Somerset, 431–8
——, Mesozoic reactivation of, Bristol Channel area, UK, 439–44
Variscan structures, Ireland, 936
Variscides, Irish developmental model for, 935–9
Vectis Formation, L Cretaceous, Isle of Wight, magnetostratigraphy of, 351–60
Venda Nova Group, U Ordovician, C Portugal, 384–5
VENNUM, W., *see* STOREY, B. C.
Viking Graben, M Jurassic marine connection into, 883
——, structural evolution and extensional basin formation, 455–72
volcanic deposits, block-and-ash flows, surges, airfall, St Kitts, W Indies, 555–60
——, surge, mudflow, airfall, block-and-ash flow, Montserrat, W Indies, 542–4
volcanic hazard assessment, Montserrat, W Indies, 545–51
volcanic island arc, initiation of, in late Cenozoic, Halmahera, Indonesia, 577–90
volcaniclastic deposits, subaqueous, in Borrowdale Volcanic Group, 888–9
volcanism, alkaline and post-subduction, Antarctic Peninsula, 985–98
——, in Irish Silurian, 744
volcano-tectonics, Ordovician, Lake District, England, 367–76

W-Cu-Sn deposit, Panasqueira, Portugal, ore-forming fluids in, 138
WADGE, G. & ISAACS, M. C., mapping the volcanic hazards from Soufriere Hills Volcano, Monserrat, West Indies using an image processor, 541–15, figs
Wales, N, Dolgellau Gold Belt, stable isotope study of gold mineralization in black shales, 941–9
——, ——, fluid inclusions and ore genesis, Dolgellau Gold Belt, 139–45
——, Old Radnor Inlier, strike-slip faulting along Church Stretton Lineament in, 925–33
——, S, early Carboniferous floodplain deposits, and controls on palaeosol development, 847–57
——, ——, mixing-zone dolomites in L Carboniferous Gully Oolite, 891–9
——, SE, U Palaeozoic sedimentation, structural controls on, 901–14
——, tectonic controls of Ordovician arc and marginal basin volcanism, 759–75
WALSH, J. J. & WATTERSON, J., dips of normal faults in British Coal Measures and other sedimentary sequences, 859–73, figs
Wanderer Formation, Zimbabwe, age dates on zircons from, 980–1
Warren Formation, Devonian, SW England, 791–2
WARWICK, P. D. & STANTON, R. W., depositional models for two Tertiary coal-bearing sequences in the Powder River Basin, Wyoming, USA, 613–20, figs
Wasia Group, M Cretaceous, Oman, 835–6
Wasile Sandstone Formation (Early? Pliocene), Halmahera, Indonesia, 584–5
WATERS, R. A., *see* WILSON, D.
WATTERSON, J., *see* WALSH, J. J.
Wealden Group, magnetostratigraphy of Vectis Formation of, Isle of Wight, 351–60
WEBB, B. C., *see* COOPER, D. C.
WEBB, P. C., *see* TINDLE, A. G.
WEISSBROD, T. & KARCZ, I., on the supposed Precambrian palaeo-suture along the Dead Sea Rift [discussion of: ABED], 515–7
welded tuffs, in Borrowdale Volcanic Group, 887–8
Welsh Basin, L Palaeozoic of, low grade metamorphism in, 363–6
Welsh Borderland Fault System, a terrane boundary?, 915–23
Wembury Formation, Devonian, SW England, 791
West Indies, volcanic hazard mapping, Montserrat, 541, maps 542–3; 544–51
WHATELEY, M. K. G. & PICKERING, K. T., deltas—sites and traps for fossil fuels [conference report], 361–2
WILLIAMS, D. M. & HARPER, D. A. T., a basin model for the Silurian of the Midland Valley of Scotland and Ireland, 741–8, figs
WILLIAMS, I. S., *see* DODSON, M. H.
WILLIAMS, L. A. J., *see* BAKER, B. H.
WILSON, A. H., *see* KRYNAUW, J. R.
WILSON, D., DAVIES, J. R., SMITH, M. & WATERS, R. A., structural controls on Upper Palaeozoic sedimentation in south-east Wales, 901–14, figs
WILSON, J. F., *see* DODSON, M. H.
WILSON, M., *see* TATE, M. P.
WINCHESTER, J. A., MAX, M. D. & LONG, C. B., on trace element geochemical correlation in the reworked Proterozoic Dalradian metavolcanic suites of the western Ox Mountains and NW Mayo Inliers, Ireland [reply to discussion], 1037–40
Windermere Group, Lake District, unconformity with Borrowdale Volcanic Group, 372–4

WOODCOCK, N. H., strike-slip faulting along the Church Stretton Lineament, Old Radnor Inlier, Wales, 925–33, figs
—— & GIBBONS, W., is the Welsh Borderland Fault System a terrane boundary?, 915–23, figs
——, *see* UNDERHILL, J. R.
Worcester Basin, as inverted flower structure, 519–22
WRIGHT, V. P. & ROBINSON, D., early Carboniferous floodplain deposits from South Wales: a case study of the controls on palaeosol development, 847–57, figs
Wyodak-Anderson coal sequence, Wyoming, 615–17

Xerovuno Chert Formation, Mesozoic, of Rhodes, 295

YARDLEY, B. W. D., *see* BOTTRELL, S. H.
Yat Wood Formation, Old Radnor, 925–30
Yealm Formation, Devonian, SW England, 791
YOUNG, T. P., the lithostratigraphy of the upper Ordovician of central Portugal, 377–92, figs

Zagros fold belt, late Tertiary continental collision zone, 833–4
Zambia, volcanic carbonatites in Kaluwe complex of, 95, maps 96; 97–106
ZHOU, J.-X., a gold and silver-bearing subvolcanic centre in the Scottish Caledonides near Lagalochan, Argyllshire, 225–34, figs
Zimbabwe, *P–T–t* paths of granulite reworking, uplift, 178
Zimbabwean sediments, search for ancient detrital zircons in, 977–83
zircons, detrital and ancient, search for in Zimbabwean sediments, 977–83
Zn-Pb-fluorite deposit, Taolin, China, fluid inclusion research on, 163–74
Zoumi Sandstone, western Moroccan Rif, tectonic evolution of, 55, maps 56–7; 58–63